INDEX TO AUTHORS

ANGEVINE, D. MURRAY. The fate of a virulent hemolytic streptococcus injected into the skin of normal and immunized rabbits, 131

BAUER, JOHANNES H., and PICKELS, EDWARD G. A high speed vacuum centrifuge suitable for the study of filtrable viruses, 503

BEARD, J. W. See KIDD, BEARD, and ROUS, 63, 79

—. See ROUS, BEARD, and KIDD, 401

—. See ROUS, KIDD, and BEARD, 385

BISCOE, J., PICKELS, EDWARD G., and WYCKOFF, RALPH W. G. An air-driven ultracentrifuge for molecular sedimentation, 39

BLOCKSOM, B. H., JR. See HUGGINS and BLOCKSOM, 253

BURACK, ETHEL. See MELNICK and COWGILL, 865

—. See MELNICK, COWGILL, and BURACK, 877, 897

CASEY, ALBERT E., ROSAHN, PAUL D., HU, CH'UAN-K'UEI, and PEARCE, LOUISE. The hemacytological constitution of adult male rabbits from fifteen standard breeds, 453

CASTANEDA, M. RUIZ. Studies on the mechanism of immunity in typhus fever. I. *Rickettsia prowazeki* in the different stages of the typhus lesion, 689

—. II. Allergic and toxic reactions produced with *Rickettsia prowazeki*, 701

CHOW, BACON F. Immunological studies on a new preparation of type specific polysaccharide from pneumococcus Type I, 843

COWGILL, GEORGE R. See MELNICK and COWGILL, 865

—. See MELNICK, COWGILL, and BURACK, 877, 897

COX, HERALD R., and OLITSKY, PETER K. Active immunization of guinea pigs with the virus of equine encephalomyelitis. III. Quantitative studies of serum antiviral bodies in animals immunized with active and inactive virus, 217

— and —. IV. Effect of immune serum on antigenicity of active and inactive virus, 223

—. See OLITSKY, SABIN, and COX, 723

CRAIGIE, JAMES, and WISHART, F. O. Studies on the soluble precipitable substances of vaccinia. I. The dissociation *in vitro* of soluble precipitable substances from elementary bodies of vaccinia, 803

— and —. II. The soluble precipitable substances of dermal vaccine, 819

—. See WISHART and CRAIGIE, 831

ENDERS, JOHN F., and SHAFFER, MORRIS F. Studies on natural immunity to pneumococcus Type III. I. The capacity of strains of pneumococcus Type III to grow at 41°C. and their virulence for rabbits, 7

ENDERS, JOHN F., SHAFFER, MORRIS F., and WU, CHAO-JEN. Studies on natural immunity to pneumococcus Type III. III. Correlation of the behavior *in vivo* of pneumococci Type III varying in their virulence for rabbits with certain differences observed *in vitro*, 307

—, WU, CHAO-JEN, and SHAFFER, MORRIS F. Studies on natural immunity to pneumococcus Type III. IV. Observations on a non-type specific humoral factor involved in resistance to pneumococcus Type III, 425

—. See SHAFFER, ENDERS, and WU, 281

FRANCIS, THOMAS, JR. See SHOPE and FRANCIS, 791

FREUND, JULES, LAIDLAW, ELIZABETH H., and MANSFIELD, JAMES S. Hypersensitiveness and antibody formation in tuberculous rabbits, 573

GILDER, HELENA. See WELD and GILDER, 953

GOEBEL, WALTHER F. Chemoimmunological studies on conjugated carbohydrate-proteins. X. The immunological properties of an artificial antigen containing glucuronic acid, 29

GOODNER, KENNETH, and HORSFALL, FRANK L., JR. The complement fixation reaction with pneumococcus capsular polysaccharide, 201

— and —. The protective action of Type I antipneumococcus serum in mice. IV. The prozone, 369

— and —. V. The effect of added lipids on the protective mechanism, 377

GOODNER, KENNETH. See HORSFALL and GOODNER, 583, 855

GROSSMAN, L. H. See KRAMER, SOBEL, GROSSMAN, and HOSKWITH, 173

HARROP, GEORGE A., NICHOLSON, WILLIAM M., and STRAUSS, MARGARET. Studies on the suprarenal cortex. V. The influence of the cortical hormone upon the excretion of water and electrolytes in the suprarenalectomized dog, 233

HART, ANNA. See PAPPENHEIMER, 965

HARTMANN, A. F. See JULIANELLE and HARTMANN, 149

HASS, GEORGE M., and PINKERTON, HENRY. Spotted fever. II. An experimental study of fièvre boutonneuse, 601

HEIDELBERGER, MICHAEL, and KENDALL, FORREST E. Quantitative studies on antibody purification. I. The dissociation of precipitates formed by pneumococcus specific polysaccharides and homologous antibodies, 161

—, —, and SCHERP, HENRY W. The specific polysaccharides of Types I, II, and III pneumococcus. A revision of methods and data, 559

HELMER, O. M. An unsaturated fatty acid fraction of pig pancreas which inhibits the growth of chicken sarcoma, 333

HEYMANN, WALTER. Nitrogen, potassium, sodium, and chlorine metabolism in rickets, with special reference to biliary fistula rickets in puppies, 471

HORSFALL, FRANK L., JR., and GOODNER, KENNETH. Lipids and immunological reactions. III. Lipid content of specific precipitates from Type I antipneumococcus sera, 583

HORSFALL, FRANK L., JR., and GOODNER, KENNETH. Lipids and immunological reactions. IV. The lipid patterns of specific precipitates from Type I antipneumococcus sera, 855

—. See GOODNER and HORSFALL, 201, 369, 377

HOSKWITH, B. See KRAMER, SOBEL, GROSSMAN, and HOSKWITH, 173

HU, CH'UAN-K'UEI. See CASEY, ROSAHN, HU, and PEARCE, 453

HUGGINS, CHARLES, and BLOCKSOM, B. H., JR. Changes in outlying bone marrow accompanying a local increase of temperature within physiological limits, 253

— and NOONAN, W. J. An increase in reticulo-endothelial cells in outlying bone marrow consequent upon a local increase in temperature, 275

HUMMEL, L. E. See SABIN, MILLER, SMITHBURN, THOMAS, and HUMMEL, 97

JACOBS, JOHN. See LANDSTEINER and JACOBS, 625, 717

JULIANELLE, L. A., and HARTMANN, A. F. The immunological specificity of staphylococci. IV. Cutaneous reactions to the type specific carbohydrates, 149

KENDALL, FORREST E. See HEIDELBERGER and KENDALL, 161

—. See HEIDELBERGER, KENDALL, and SCHERP, 559

KIDD, JOHN G., BEARD, J. W., and ROUS, PEYTON. Serological reactions with a virus causing rabbit papillomas which become cancerous. I. Tests of the blood of animals carrying the papilloma, 63

KIDD, JOHN G., BEARD, J. W., and ROUS, PEYTON. Serological reactions with a virus causing rabbit papillomas which become cancerous. II. Tests of the blood of animals carrying various epithelial tumors, 79

—. See ROUS, BEARD, and KIDD, 401

—. See ROUS, KIDD, and BEARD, 385

KRAMER, S. D., SOBEL, A. E., GROSSMAN, L. H., and HOSKWITH, B. Survival of the virus of poliomyelitis in the oral and nasal secretion of convalescents, 173

LAIDLAW, ELIZABETH H. See FREUND, LAIDLAW, and MANSFIELD, 573

LANDSTEINER, K., and JACOBS, JOHN. Studies on the sensitization of animals with simple chemical compounds. II, 625

— and —. III. Anaphylaxis induced by arsphenamine, 717

MACCHIAVELLO, ATTILIO. See ZINSSER and MACCHIAVELLO, 673

MANSFIELD, JAMES S. See FREUND, LAIDLAW, and MANSFIELD, 573

MARK, JEROME. See MOORE and MARK, 1

MELNICK, DANIEL, and COWGILL, GEORGE R. A quantitative technique for performing plasmapheresis, 865

—, —, and BURACK, ETHEL. The influence of diet upon the regeneration of serum protein. I. Standardization of experimental technique, 877

—, —, and —. II. The potency ratios of serum protein, lactalbumin, and casein, and the effect of tissue protein catabolism on the formation of serum protein, 897

MENKIN, VALY. Studies on inflammation. XII. Mechanism of increased capillary permeability. A critique of the histamine hypothesis, 485
MERRILL, MALCOLM H. Effect of purified enzymes on viruses and Gram-negative bacteria, 19
MILLER, F. R. See SABIN, MILLER, SMITHBURN, THOMAS, and HUMMEL, 97
MOEN, JOHANNES K. A skin test for detecting group C hemolytic streptococcal infection causing epizootic lymphadenitis in guinea pigs. Applications in selecting breeding stock, 553
—. Tissue culture studies on bacterial hypersensitivity. II. Reactions of tissues from guinea pigs infected with group C hemolytic streptococci, 355
—. III. The persistence *in vitro* of the inherent sensitivity to tuberculin of cells from tuberculous animals, 943
MOEN, JOHANNES K., and SWIFT, HOMER F. Tissue culture studies on bacterial hypersensitivity. I. Tuberculin-sensitive tissues, 339
MOORE, ROBERT A., and MARK, JEROME. The effect of avitaminosis A on the prostate, 1
MORRIS, MARION C. The relation between antianaphylaxis and antibody balance. I. The rôle of excess of circulating antibody in hypersensitiveness, 641
—. II. The effect of specific desensitization upon resistance to infection and upon antibody balance, 657

NELSON, JOHN B. Studies on an uncomplicated coryza of the domestic fowl. VII. Cultivation of the coccobacilliform bodies in fertile eggs and in tissue cultures, 749
NELSON, JOHN B. Studies on an uncomplicated coryza of the domestic fowl. VIII. The infectivity of fetal membrane and tissue culture suspensions of the coccobacilliform bodies, 759
NICHOLSON, WILLIAM M. See HARROP, NICHOLSON, and STRAUSS, 233
NOONAN, W. J. See HUGGINS and NOONAN, 275

OLITSKY, PETER K., SABIN, ALBERT B., and COX, HERALD R. An acquired resistance of growing animals to certain neurotropic viruses in the absence of humoral antibodies or previous exposure to infection, 723
—. See COX and OLITSKY, 217, 223
—. See SABIN and OLITSKY, 739

PAPPENHEIMER, ALWIN M. The effect of experimental reduction of kidney substance upon the parathyroid glands and skeletal tissue, 965
PARKER, RAYMOND C. The cultivation of tissues for prolonged periods in single flasks, 121
PARKER, ROBERT F., and RIVERS, THOMAS M. Immunological and chemical investigations of vaccine virus. IV. Statistical studies of elementary bodies in relation to infection and agglutination, 439
PEARCE, LOUISE. See CASEY, ROSAHN, HU, and PEARCE, 453
PICKELS, EDWARD G. See BAUER and PICKELS, 503
—. See BISCOE, PICKELS, and WYCKOFF, 39
PINKERTON, HENRY. See HASS and PINKERTON, 601

RIVERS, THOMAS M. See PARKER and RIVERS, 439

ROSAHN, PAUL D. See CASEY, ROSAHN, HU, and PEARCE, 453

ROUS, PEYTON, BEARD, J. W., and KIDD, JOHN G. Observations on the relation of the virus causing rabbit papillomas to the cancers deriving therefrom. II. The evidence provided by the tumors: general considerations, 401

—, KIDD, JOHN G., and BEARD, J. W. Observations on the relation of the virus causing rabbit papillomas to the cancers deriving therefrom. I. The influence of the host species and of the pathogenic activity and concentration of the virus, 385

—. See KIDD, BEARD, and ROUS, 63, 79

SABIN, ALBERT B., and OLITSKY, PETER K. Humoral antibodies and resistance of vaccinated and convalescent monkeys to poliomyelitis virus, 739

—. See OLITSKY, SABIN, and COX, 723

SABIN, F. R., MILLER, F. R., SMITHBURN, KENNETH C., THOMAS, R. M., and HUMMEL, L. E. Changes in the bone marrow and blood cells of developing rabbits, 97

SCHERP, HENRY W. See HEIDELBERGER, KENDALL, and SCHERP, 559

SHAFFER, MORRIS F., ENDERS, JOHN F., and WU, CHAO-JEN. Studies on natural immunity to pneumococcus Type III. II. Certain distinguishing properties of two strains of pneumococcus Type III varying in their virulence for rabbits, and the reappearance of these properties following R → S reconversion of their respective rough derivatives, 281

—. See ENDERS and SHAFFER, 7

SHAFFER, MORRIS F. See ENDERS, SHAFFER, and WU, 307

—. See ENDERS, WU, and SHAFFER, 425

SHOPE, RICHARD E. Immunization experiments with swine influenza virus, 47

— and FRANCIS, THOMAS, JR. The susceptibility of swine to the virus of human influenza, 791

SHWARTZMAN, GREGORY. Phenomenon of local skin reactivity to bacterial filtrates: effect of bacterial filtrates injected intravascularly upon reactions to antigen + antibody complexes, 529

SMADEL, JOSEPH E. Experimental nephritis in rats induced by injection of antikidney serum. I. Preparation and immunological studies of nephrotoxin, 921

SMITHBURN, KENNETH C. The standardization of longevity against dose in experimental tuberculosis by intracerebral inoculation, 771

—. See SABIN, MILLER, SMITHBURN, THOMAS, and HUMMEL, 97

SOBEL, A. E. See KRAMER, SOBEL, GROSSMAN, and HOSKWITH, 173

STRAUSS, MARGARET. See HARROP, NICHOLSON, and STRAUSS, 233

SWIFT, HOMER F. See MOEN and SWIFT, 339

THOMAS, R. M. See SABIN, MILLER, SMITHBURN, THOMAS, and HUMMEL, 97

TRAUB, ERICH. The epidemiology of lymphocytic choriomeningitis in white mice, 183

WELD, JULIA T., and GILDER, HELENA. Effect of pneumococcus autolysate antitoxin on pneumococcus pneumonia in guinea pigs, 953

WISHART, F. O., and CRAIGIE, JAMES. Studies on the soluble precipitable substances of vaccinia. III. The precipitin responses of rabbits to the LS antigen of vaccinia, 831

—. See CRAIGIE and WISHART, 803, 819

WU, CHAO-JEN. See ENDERS, SHAFFER, and WU, 307

—. See ENDERS, WU, and SHAFFER, 425

WU, CHAO-JEN. See SHAFFER, ENDERS, and WU, 281

WYCKOFF, RALPH W. G. See BISCOE, PICKELS, and WYCKOFF, 39

ZINSSER, HANS, and MACCHIAVELLO, ATTILIO. Further studies on typhus fever. On homologous active immunization against the European strain of typhus fever, 673

INDEX TO SUBJECTS

ACID, fatty, fraction of pig pancreas, unsaturated, inhibiting chicken sarcoma growth, 333
—, glucuronic, immunological properties of artificial antigen containing, 29
Agglutination and infection, statistical studies of elementary bodies of vaccinia, 439
Allergic and toxic reactions produced with *Rickettsia prowazeki*, 701
Anaphylaxis, anti-, and antibody balance, 641, 657
— induced by arsphenamine, 717
Antianaphylaxis and antibody balance, 641, 657
Antibodies, homologous, and pneumococcus specific polysaccharides, dissociation of precipitates formed by, 161
—, humoral, acquired resistance to neurotropic viruses in absence of, 723
—, humoral, and resistance of vaccinated and convalescent monkeys to poliomyelitis virus, 739
Antibody balance and antianaphylaxis, 641, 657
— balance and resistance to infection, effect of specific desensitization, 657
—, circulating, excess in hypersensitiveness, 641
— formation and hypersensitiveness in tuberculosis, 573
Antibody + antigen complexes, reactions to, bacterial filtrates injected intravascularly, 529
Antigen, artificial, containing glucuronic acid, immunological properties, 29
Antigen, LS, of vaccinia, precipitin responses to, 831
Antigen + antibody complexes, reactions to, bacterial filtrates injected intravascularly, 529
Antigenicity of active and inactive equine encephalomyelitis virus, effect of immune serum, 223
Antikidney serum inducing nephritis, 921
Antipneumococcic serum. *See* Serum.
Antitoxin, pneumococcus autolysate, effect on pneumococcus pneumonia, 953
Arsphenamine inducing anaphylaxis, 717
Autolysate, pneumococcus, antitoxin, effect on pneumococcus pneumonia, 953
Avitaminosis, lack of vitamin A affecting prostate, 1

BACTERIA, Gram-negative, and viruses, effect of purified enzymes, 19
Bacterial filtrates, local skin reactivity, effect of intravascular injection on reactions to antigen + antibody complexes, 529
— hypersensitivity, tissue culture studies, 339, 355, 943
Bile fistula rickets, nitrogen, potassium, sodium, chlorine metabolism, 471
Blood cells and bone marrow of developing rabbits, changes, 97
— cytology, adult male rabbits from fifteen standard breeds, 453
— tests of rabbits carrying cancerous papilloma, 63

Blood tests of rabbits carrying epithelial tumors, 79
Bodies, coccobacilliform, of fowl coryza, cultivation in fertile eggs and tissue cultures, 749
—, coccobacilliform, of fowl coryza, fetal membrane and tissue culture suspensions, infectivity, 759
—, elementary, of vaccinia, dissociation *in vitro* of soluble precipitable substances, 803
—, elementary, of vaccinia, statistical studies in relation to infection and agglutination, 439
Bone marrow and blood cells of developing rabbits, changes, 97
— marrow, outlying, changes accompanying local temperature increase within physiological limits, 253
— marrow, outlying, reticulo-endothelial cell increase consequent upon local temperature increase, 275
Boutonneuse fever, relation to spotted fever, 601

CANCER deriving from rabbit papilloma, relation to virus causing papilloma, 385, 401
—, serological reactions with virus causing rabbit papilloma, 63, 79
Capillary permeability, increased in inflammation, mechanism, 485
Carbohydrate-proteins, conjugated, chemoimmunological studies, 29
Carbohydrates, type specific, of staphylococci, cutaneous reactions to, 149
Casein potency ratio in serum protein formation, 897
Catabolism, tissue protein, effect on formation of serum protein, 897
Cells, blood, and bone marrow, of developing rabbits, changes, 97
— from tuberculous animals, persistence *in vitro* of inherent sensitivity to tuberculin, 943
—, reticulo-endothelial, in outlying bone marrow, increase consequent upon local temperature increase, 275
Centrifuge, ultra-, air-driven, for molecular sedimentation, 39
—, vacuum, high speed, for filtrable viruses, 503
Chemical compounds, simple, sensitization of animals, 625, 717
— and immunological investigations of vaccine virus, 439
Chemoimmunology, conjugated carbohydrate-proteins, 29
Chlorine metabolism in biliary fistula rickets, 471
Choriomeningitis, lymphocytic, in mice, epidemiology, 183
Coccobacilliform bodies of fowl coryza, cultivation in fertile eggs and tissue cultures, 749
— bodies of fowl coryza, fetal membrane and tissue culture suspensions, infectivity, 759
Complement fixation reaction with pneumococcus capsular polysaccharide, 201
Convalescence, survival of poliomyelitis virus in oral and nasal secretion, 173
Coryza, uncomplicated, of domestic fowl, 749, 759
Cultivation, coccobacilliform bodies of fowl coryza, in fertile eggs and tissue cultures, 749
—, coccobacilliform bodies of fowl coryza, infectivity of fetal membrane and tissue culture suspensions, 759
—, tissue, for prolonged periods in single flasks, 121

Cultivation, tissue, studies on bacterial hypersensitivity, 339, 355, 943
Cytology, blood, adult male rabbits from fifteen standard breeds, 453

DESENSITIZATION, specific, effect on resistance to infection and on antibody balance, 657
Diet, influence on serum protein regeneration, 877, 897

EGGS, fertile, cultivation of coccobacilliform bodies of fowl coryza, 749
Electrolytes and water, excretion after suprarenalectomy, influence of cortical hormone, 233
Encephalomyelitis virus, equine, active immunization of guinea pigs, 217, 223
Enzymes, purified, effect on viruses and Gram-negative bacteria, 19
Epidemiology of lymphocytic choriomeningitis in mice, 183
Epithelial tumors in rabbits, blood tests, 79
Epizootic lymphadenitis in guinea pigs caused by group C hemolytic streptococcal infection, skin test, 553
European strain typhus fever, homologous active immunization, 673
Excretion, water and electrolytes, after suprarenalectomy, influence of cortical hormone, 233

FATTY acid fraction of pig pancreas, unsaturated, inhibiting chicken sarcoma growth, 333
Fetal membrane suspensions of coccobacilliform bodies of fowl coryza, infectivity, 759
Fever, boutonneuse. *See* Boutonneuse fever.
Fever, spotted. *See* Spotted fever.
—, typhus. *See* Typhus.
Filtrable viruses, high speed vacuum centrifuge, 503
Filtrates, bacterial, local skin reactivity, effect of intravascular injection on reactions to antigen + antibody complexes, 529
Fistula, biliary, rickets, nitrogen, potassium, sodium, chlorine metabolism, 471
Fowl, domestic, uncomplicated coryza, 749, 759
— sarcoma growth inhibited by unsaturated fatty acid fraction of pig pancreas, 333

GLAND, parathyroid. *See* Parathyroid.
Glucuronic acid, immunological properties of artificial antigen containing, 29
Gram-negative bacteria, and viruses, effect of purified enzymes, 19

HEMACYTOLOGICAL constitution of adult male rabbits from fifteen standard breeds, 453
Hemolytic streptococcal infection, group C, causing epizootic lymphadenitis in guinea pigs, skin test, 553
— streptococcus, group C, reactions *in vitro* of tissues from guinea pigs infected with, 355
— streptococcus, virulent, fate after injection into skin of normal and immunized rabbits, 131
Histamine hypothesis of increased capillary permeability in inflammation, critique, 485
Homologous active immunization against typhus fever, European strain, 673
— antibodies and pneumococcus specific polysaccharides, dissociation of precipitates formed by, 161

Hormone, cortical, influencing water and electrolyte excretion after suprarenalectomy, 233
Horse, encephalomyelitis virus, active immunization of guinea pigs, 217, 223
Humoral antibodies, acquired resistance to neurotropic viruses in absence of, 723
— antibodies, and resistance of vaccinated and convalescent monkeys to poliomyelitis virus, 739
— factor, non-type specific, in resistance to pneumococcus Type III, 425
Hypersensitiveness and antibody formation in tuberculosis, 573
—, bacterial, tissue culture studies, 339, 355, 943
—, excess of circulating antibody, 641

IMMUNITY in typhus fever, 689, 701
—, natural, to pneumococcus Type III, 7, 281, 307, 425
Immunization, active, of guinea pigs, with equine encephalomyelitis virus, 217, 223
— experiments with swine influenza virus, 47
—, homologous, active, against typhus fever, European strain, 673
Immunological and chemical investigations of vaccine virus, 439
— reactions and lipids, 583, 855
— specificity of staphylococci, cutaneous reactions to type specific carbohydrates, 149
— studies on nephrotoxin in antikidney serum inducing nephritis, 921
— studies on new preparation of type specific polysaccharide from pneumococcus Type I, 843
Immunology, chemo-, conjugated carbohydrate-proteins, 29
Inflammation, 485
Influenza virus, human, swine susceptibility, 791
— virus, swine, immunization experiments, 47
Intracerebral inoculation of tubercle bacilli, standardization of longevity against dose, 771
Intravascular injection of bacterial filtrates, effect on reactions to antigen + antibody complexes, 529

KIDNEY, anti-, serum, inducing nephritis, 921
— substance, reduction, effect on parathyroid glands and skeletal tissue, 965

LACTALBUMIN potency ratio in serum protein formation, 897
Lipid content of specific precipitates from Type I antipneumococcic sera, 583
— patterns of specific precipitates from Type I antipneumococcic sera, 855
Lipids added to Type I antipneumococcic serum, effect on protective mechanism, 377
— and immunological reactions, 583, 855
Longevity in tuberculosis, standardized against dose by intracerebral inoculation, 771
Lymphadenitis, epizootic, in guinea pigs, caused by group C hemolytic streptococcal infection, skin test, 553
Lymphocytic choriomeningitis in mice, epidemiology, 183

MAN, influenza virus, swine susceptibility, 791
Marrow. *See* Bone marrow.

Membrane, fetal, suspensions of coccobacilliform bodies of fowl coryza, infectivity, 759
Metabolism, nitrogen, potassium, sodium, chlorine, in biliary fistula rickets, 471
Molecular sedimentation, air-driven ultracentrifuge, 39
Mouth secretion of convalescents, survival of poliomyelitis virus, 173

NEPHRITIS induced by antikidney serum, 921
Nephrotoxin in antikidney serum inducing nephritis, 921
Neurotropic viruses, resistance acquired in absence of humoral antibodies or previous exposure to infection, 723
Nitrogen metabolism in biliary fistula rickets, 471
Nose secretion of convalescents, survival of poliomyelitis virus, 173

PANCREAS, pig, unsaturated fatty acid fraction inhibiting chicken sarcoma growth, 333
Papilloma, rabbit, cancerous, serological reactions with virus, 63, 79
—, rabbit, virus, relation to cancer deriving from, 385, 401
Parathyroid, effect of reduction of kidney substance, 965
Pathogenic activity and concentration of virus causing rabbit papilloma, influence on cancer deriving from, 385
Plasmapheresis, quantitative technique, 865
Pneumococcus capsular polysaccharide, complement fixation reaction, 201
— pneumonia, effect of pneumococcus autolysate antitoxin, 953
Pneumococcus specific polysaccharides and homologous antibodies, dissociation of precipitates formed by, 161
— Type I polysaccharide, type specific, new preparation, 843
— Type III, natural immunity to, 7, 281, 307, 425
— Type III, non-type specific humoral factor in resistance, 425
— Type III, reconversion of R to S forms, 281
— Type III strains, capacity to grow at 41°C., and virulence, 7
— Type III strains varying in virulence, *in vivo* behavior contrasted with *in vitro*, 307
— Types I, II, and III, specific polysaccharides, 559
Pneumonia, pneumococcus, effect of pneumococcus autolysate antitoxin, 953
Poliomyelitis virus, humoral antibodies, and resistance of vaccinated and convalescent monkeys, 739
— virus, survival in oral and nasal secretion of convalescents, 173
Polysaccharide, pneumococcus, capsular, complement fixation reaction, 201
—, type specific, from pneumococcus Type I, new preparation, 843
Polysaccharides, specific, of pneumococcus, and homologous antibodies, dissociation of precipitates formed by, 161
—, specific, of pneumococcus Types I, II, and III, 559
Potassium metabolism in biliary fistula rickets, 471
Precipitable soluble substances of vaccinia, 803, 819, 831
Precipitates formed by pneumococcus specific polysaccharides and homologous antibodies, dissociation, 161

Precipitates, specific, from Type I antipneumococcic sera, lipid content, 583
—, specific, from Type I antipneumococcic sera, lipid patterns, 855
Precipitin responses to LS antigen of vaccinia, 831
Prostate, effect of avitaminosis A, 1
Protein, serum, potency ratio, and effect of tissue protein catabolism on formation, 897
—, serum, regeneration by diet, 877, 897
Proteins, carbohydrate-, conjugated, chemoimmunological studies, 29

REACTION, complement fixation, with pneumococcus capsular polysaccharide, 201
Regeneration of serum protein by diet, 877, 897
Resistance, acquired, to pneumococcus Type III, non-type specific humoral factor, 425
—, poliomyelitis virus, vaccinated and convalescent monkeys, 739
— to infection, and antibody balance, effect of specific desensitization, 657
— to neurotropic viruses in absence of humoral antibodies or previous exposure to infection, 723
Reticulo-endothelial cells in outlying bone marrow, increase consequent upon local temperature increase, 275
Rickets, biliary fistula, nitrogen, potassium, sodium, chlorine metabolism, 471
Rickettsia prowazeki causing allergic and toxic reactions, 701
— *prowazeki* in different stages of typhus lesion, 689

SARCOMA, chicken, growth inhibited by unsaturated fatty acid fraction of pig pancreas, 333
Secretion, oral and nasal, of convalescents, survival of poliomyelitis virus, 173
Sedimentation, molecular, air-driven ultracentrifuge for, 39
Sensitization of animals with simple chemical compounds, 625, 717
Serology, reactions with virus causing cancerous rabbit papilloma, 63, 79
Serum, antikidney, nephritis induced by injection, 921
—, antipneumococcic, Type I, lipid content of specific precipitates, 583
—, antipneumococcic, Type I, lipid patterns of specific precipitates, 855
—, antipneumococcic, Type I, protective action, effect of added lipids, 377
—, antipneumococcic, Type I, protective action, prozone, 369
— antiviral bodies in guinea pigs immunized with active and inactive virus of equine encephalomyelitis, 217
—, immune, effect on antigenicity of active and inactive equine encephalomyelitis virus, 223
— protein, potency ratio, and effect of tissue protein catabolism on formation, 897
— protein regeneration by diet, 877, 897
Skeletal tissue, effect of reduction of kidney substance, 965
Skin injection of virulent hemolytic streptococcus in normal and immunized rabbits, 131
— reactions to type specific carbohydrates of staphylococci, 149

Skin reactivity, local, to bacterial filtrates, effect of intravascular injection on reactions to antigen + antibody complexes, 529
— test, group C hemolytic streptococcal infection causing epizootic lymphadenitis in guinea pigs, 553
— vaccine, soluble precipitable substances, 819
Sodium metabolism in biliary fistula rickets, 471
Specific polysaccharides of Types I, II, and III pneumococcus, 559
— polysaccharides, pneumococcus, and homologous antibodies, dissociation of precipitates formed by, 161
— precipitates from Type I antipneumococcic sera, lipid content, 583
— precipitates from Type I antipneumococcic sera, lipid patterns, 855
—, type, polysaccharide from pneumococcus Type I, new preparation, 843
Specificity, immunological, of staphylococci, cutaneous reactions to type specific carbohydrates, 149
Spotted fever, 601
Staphylococci, immunological specificity, cutaneous reactions to type specific carbohydrates, 149
Statistical studies of elementary bodies of vaccinia in relation to infection and agglutination, 439
Streptococcal infection, hemolytic, group C, causing epizootic lymphadenitis in guinea pigs, skin test, 553
Streptococcus, hemolytic, group C, reactions *in vitro* of tissues from guinea pigs infected with, 355
—, hemolytic, virulent, fate after injection into skin of normal and immunized rabbits, 131
Suprarenalectomy, excretion of water and electrolytes after, influence of cortical hormone, 233
Susceptibility of swine to human influenza virus, 791
Swine influenza virus, immunization experiments, 47
— susceptibility to human influenza virus, 791

TEMPERATURE, local increase, causing increase in reticulo-endothelial cells in outlying bone marrow, 275
—, local increase within physiological limits, changes in outlying bone marrow, 253
Tissue, cultivation for prolonged periods in single flasks, 121
— culture, coccobacilliform bodies of fowl coryza, cultivation, 749
— culture, coccobacilliform bodies of fowl coryza, infectivity of suspensions, 759
— culture studies on bacterial hypersensitivity, 339, 355, 943
— from guinea pigs infected with group C hemolytic streptococci, reactions *in vitro*, 355
— protein catabolism, effect on formation of serum protein, 897
—, skeletal, effect of reduction of kidney substance, 965
—, tuberculin-sensitive, cultivation, 339
Toxic and allergic reactions produced with *Rickettsia prowazeki*, 701
Tuberculin sensitivity, inherent, of cells from tuberculous animals, persistence *in vitro*, 943
Tuberculin-sensitive tissues, cultivation, 339
Tuberculosis, cells from infected animals, persistence *in vitro* of inherent sensitivity to tuberculin, 943
—, hypersensitiveness and antibody formation, 573
—, longevity standardized against

dose by intracerebral inoculation, 771
Tumors deriving from rabbit papilloma, relation to virus causing papilloma, 401
—, epithelial, in rabbits, blood tests, 79
Typhus, homologous active immunization against European strain, 673
—, immunity, 689, 701
— lesion, different stages, *Rickettsia prowazeki* in, 689

ULTRACENTRIFUGE, air-driven, for molecular sedimentation, 39

VACCINATED and convalescent monkeys, resistance to poliomyelitis virus, 739
Vaccine, dermal, soluble precipitable substances, 819
— virus, immunological and chemical investigations, 439
Vaccinia, elementary bodies, dissociation *in vitro* of soluble precipitable substances, 803
—, precipitin responses to LS antigen, 831
—, soluble precipitable substances, 803, 819, 831
Virulence, pneumococcus Type III strains, and capacity to grow at 41°C., 7
—, pneumococcus Type III, varying in strains, behavior *in vivo* and *in vitro*, 307
—, pneumococcus Type III, varying in two strains, 281
Virulent hemolytic streptococcus, fate after injection into skin of normal and immunized rabbits, 131
Virus, cancerous rabbit papilloma, serological reactions, 63, 79
—, equine encephalomyelitis, active immunization of guinea pigs, 217, 223
—, influenza, human, swine susceptibility, 791
—, poliomyelitis, humoral antibodies, and resistance of vaccinated and convalescent monkeys, 739
—, poliomyelitis, survival in oral and nasal secretion of convalescents, 173
—, rabbit papilloma, and cancer deriving from, relation, 385, 401
—, swine influenza, immunization experiments, 47
—, vaccine, immunological and chemical investigations, 439
Viruses, filtrable, high speed vacuum centrifuge, 503
— and Gram-negative bacteria, effect of purified enzymes, 19
—, neurotropic, resistance acquired in absence of humoral antibodies or previous exposure to infection, 723
Vitamin A lack, effect on prostate, 1

WATER and electrolytes, excretion after suprarenalectomy, influence of cortical hormone, 233